

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	((("5510775") or ("5513324")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 09:56
S2	1581	(709/236,237).OQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 23:59
S3	3509	(709/236,237,245).OQLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:43
S4	88	(transmit\$4 or send\$4) with (address) with register near2 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:46
S5	0	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:45
S6	0	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:45
S7	1	S2 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:45
S8	146	(transmit\$4 or send\$4) with (address) same register near2 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:45

S9	2	S2 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:45
S10	175	((transmit\$4 or send\$4) with (address) same (read\$4 or writ \$4) with frame with register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:48
S11	6	S3 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:52
S12	784	(ARP or "address resolution") with (transmit\$4 or send\$4) near2 address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:57
S13	64	S12 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:57
S14	51	S13 and @ad<="20021031"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 10:57
S15	61	("3582901" "3648244" "4216528" "4319338" "4373193" "4386416" "4404651" "4432057" "4507735" "4539637" "4545013" "4554418" "4568930" "4589063" "4654654" "4663704" "4714995" "4720782" "4727575" "4730348" "4827423" "4831582" "4843545" "4855906" "4868570" "4885684" "4918690" "4926375" "4937760" "4972367" "4974151" "4980822" "5093916" "5101348" "5109486" "5146607" "5148533").PN. OR ("5513324"). URPN.	OR	OFF	2007/06/18 10:58	

S16	592	{switch or router or gateway} same (adding or add) with device same network and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 14:50
S17	5	{switch or router or gateway} same (adding or add) with device same network same ("address table") and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 14:54
S18	16954	parameter\$4 with frame and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 14:55
S19	0	parameter\$4 with frame same ("CS_transmission") and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 14:56
S20	40	parameter\$4 with frame same (transmission and reception) near3 frame and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:05
S21	0	parameter\$4 with frame and ("CS_transmission") and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 14:56
S22	128	{master and slave} same (adding or add) with device and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:06
S23	323	{master and slave} same address with table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:06
S24	2	{master and slave} same (address and direction) with table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:07
S25	2642	{address and direction} with table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:08
S26	137837	{send\$4 or transmit\$4} with frame (address and direction) with table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:08

S27	13	{send\$4 or transmit\$4} with frame same (address and direction) with table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:34
S28	26808	{read and write} with memory with address and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 15:35
S29	12	{read and write} with memory with address and ("direction table") and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/06 23:59
S30	33917	{exchange\$4 or transmit\$4} with (information or data or address) with frame and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/07 00:00
S31	499	{exchange\$4 or transmit\$4} with (information or data or address) with frame same (master and slave) and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/07 00:00
S32	64	{exchange\$4 or transmit\$4} with (address) with frame same (master and slave) and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/07 00:55
S33	2	{exchange\$4 or transmit\$4} with (address) with frame same (master and slave) same identifier and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/07 00:07
S34	20	{exchange\$4 or transmit\$4} with (address) with frame same (master and slave) and direction and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/07 00:56
S35	0	{exchange\$4 or transmit\$4} with (address) with frame same (master and slave) and direction near2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/07 00:56
S36	4716	{reception or transmission} with bit same register and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:54

S37	439	address with (reception or transmission) with bit same register and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:55
S38	477	address\$4 with (reception or transmission) with bit same register and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:55
S39	133	address\$4 with (reception or transmission) with bit same register and (master) and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:55
S40	76	address\$4 with (reception or transmission) with bit same register and (master same slave) and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:55
S41	23320	address near2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:04
S42	2067	address near2 table with register and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:07
S43	2	address near2 table with register same master with slave and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:07
S44	8	address near2 table with register with slave and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:13
S45	2	("6397324").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:23
S46	501	address adj2 table same communication same process\$4 and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:35
S47	55	address adj2 table same communication same process\$4 same register and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:35

S48	1	address adj2 table same communication same process\$4 same register adj2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:36
S49	17	address adj2 table same communication same process\$4 and register adj2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:39
S50	0	"address resolution" near2 table same communication with processing and register adj2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:43
S51	71	"address resolution" near2 table same communication same processing and register adj2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:43
S52	0	"address resolution" near2 table same communication same processing and register adj2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:44
S53	1	"address resolution" near2 table and communication same processing and register adj2 table and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:44
S54	19188727	(ARP or "address resolution") same communication same processing and register (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:52
S55	42	(ARP or "address resolution") same communication same processing and register and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 15:52
S56	101	address adj table same communication same processing and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:11
S57	16	{address adj table same communication same processing}.ab.ti. and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:12
S58	1206	{address adj table}.ab.ti. and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:28

S59	18	{address adj table).ab,ti. and master same slave and (@ad<="20021031" or @rlad<="20021031")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:28
S60	1072	{IP or "Internet Protocol") with {address adj table) samemaster same slave and (@ad<="20021031" or @rlad<="20021031")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:44
S61	1	{IP or "Internet Protocol") with {address adj table) same master same slave and (@ad<="20021031" or @rlad<="20021031")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:44
S62	16	{IP or "Internet Protocol") with {address adj table) and master same slave and (@ad<="20021031" or @rlad<="20021031")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:45
S63	3	("7013345").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 16:47
S64	295	dynamic adj3 (IP or "Internet Protocol") same client and (@ad<="20021031" or @rlad<="20021031")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 17:05
S65	27	{dynamic adj3 (IP or "Internet Protocol") same client).ab,ti. and (@ad<="20021031" or @rlad<="20021031")}	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 17:05
S66	109	{{("20040148418") or ("5838924") or ("6594712") or ("3845394") or ("3978456") or ("1419041") or ("4495493") or ("4536857") or ("4644351") or ("4718082") or ("4894822") or ("4907159") or ("5153876") or ("5278566") or ("5353326") or ("5379289") or ("5440299") or ("6009093") or ("6154584") or ("6198747") or ("6421324") or ("6606305") or ("6611677") or ("6952467") or ("7222170") or ("7230531") or ("7376111") or ("20020165783") or ("20040170194") or ("20060123316") or ("20060125628") or ("20060268878") or ("20070160082") or ("20090046700") or ("3757032") or ("3885098") or ("3963870") or ("3970798") or	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:32

		("4315314") or ("4494231") or ("4509180") or ("4628494") or ("4638479") or ("4674880") or ("4723282") or ("4752968") or ("4899340") or ("4959644") or ("4967288") or ("5262771")). PN.				
S67	88	S66 and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:32
S68	5	reception near2 address and S66 and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:35
S69	2212	reception near2 address and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:36
S70	1391	reception adj2 address and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:36
S71	40	reception adj2 address same transm\$4 adj2 address and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:37
S72	4	(reception adj2 address same transm\$4 adj2 address).ab,ti. and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:37
S73	5	parameteriz\$4 adj frame and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:46
S74	2505	reception adj2 frame and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:47
S75	95	reception adj2 frame same parameter\$5 and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:47
S76	10	reception adj2 frame same parameter\$5 same address and (@ad<="20021031" or @rlad<="20021031")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2009/04/22 10:47

4/ 24/ 2009 11:06:24 AM

**C:\Documents and Settings\btiv\My Documents\EAST\Workspaces
\10698610_data_address_handshaking.wsp**